



The **High-End** Rockwell Hardness Tester

For those who want a little extra



A black and white photograph showing a close-up of a Duramin hardness tester. The top part of the image shows the dark, textured upper housing of the machine. Below it, a circular, polished metal sample is being tested. A bright light source is visible on the left, illuminating the scene. The background is dark and out of focus.

The Power of Repeatability

If you read this, you have probably realized something that most people haven't – you know that imprecise repeatability is a frustrating waste of time and money. And you don't need that. That's why we have built the Duramin hardness testers, so that they deliver even higher precision than required by standards. Because such standards don't always cut it.

**Enjoy the power of repeatability
by Duramin-160.**



5

Noteworthy Details

Duramin-160 is full of interesting details – assuming of course that you are a bit of a hardness testing aficionado like us. Here, we have selected five of the most interesting details to spotlight.

High precision load cell technology ensures the ultimate degree of accuracy.

Duramin-160 delivers even higher precision than required by standards. Duramin-160 is based on a load cell system where test loads are applied via a closed loop control unit with a load cell, a DC motor, and electronic measurement. In this way, we have eliminated the over- and under-shoot that is common in deadweight systems, ensuring the maximum repeatability and reproducibility.

A fully automated test cycle takes reproducibility to the max.

The entire test cycle of applying the load and evaluating hardness is fully automated. This improves reproducibility to a maximum, as the operator's influence is minimized.

There is an intuitive touchscreen so that even the least tech-savvy can create immediate reports.

Duramin-160 displays data on the touchscreen from which you can easily generate complete reports with results, statistics, and customized comments. Export your data in various formats via your network or a USB stick. All generated data is always accessible for review. As an optional feature, Duramin-160 is also compatible with Q-DAS software for those of you who use it.

A wide range of anvils and sample holders enables you to test irregular and larger samples.


In addition to testing standard samples, the Duramin-160 is ideal for testing irregular or larger samples, as many different anvils and sample holders are available. The Duramin-160 handles samples of up to 100 kg, and the Duramin-160Z handles samples of up to 60 kg. You can even do your testing without sample holders.

A dedicated Rockwell machine offers the option of measuring for HVT and HBT.

A dedicated, high-precision Rockwell tester provides immediate results – and a little extra. Aside from Rockwell, Duramin-160 offers the depth-based measurement methods: HVT (Vickers depth) and HBT (Brinell depth), where the indenter penetration depth is measured instead of the indent's diagonals or diameters – for those of you who need a quick solution without an optical evaluation of the indents.

Want to know more? Go to [struers.com/duramin](https://www.struers.com/duramin)

Duramin-160



Create different user profiles
To restrict or allow different privileges.

6.5-inch touchscreen
Offers an intuitive interface for every user level.

Test area illumination
Provides a clear view of the sample.

Versatile sample holders and anvils
For workpieces in all shapes.

Handles heavy samples
Up to 100 kg for Duramin-160 and up to 60 kg for Duramin-160Z.

Option to measure HVT and HBT
For those of you who want the freedom to use other methods.

Color-coded hardness limits
For easy recognition of values within or outside of your specified limits.

Built-in report manager
Generates complete data reports for easy exporting.

High precision load cell
Delivers even higher precision than required by standards.

Compatible with Q-DAS software
An optional feature for those of you who use Q-DAS software.

Ergonomic, motorized Z-axis
Frees you from manual adjustment to enhance a healthy working environment.

You Get the Complete Solution

If You Want It

An effective production plan does not include a lot of fitting time to enable your accessories to cooperate with your machine.

At Struers, we have made sure that you can get exactly the accessories you need for your Duramin Hardness Tester, always guaranteeing a perfect fit for your machine.

You will find a broad selection of indenters, test blocks, sample holders, anvils, and much more. And if you need a customized accessory, we will build it for you.

Want to know more? Go to struers.com/duramin

More Than 140 Years Fine-Tuned Service

Don't hesitate
to use it.

When you choose a hardness tester from Struers, you also choose some of the best specialists in the world and a wide range of support at your fingertips. This includes:

- Access to our global support hotline
- Specialist counseling on how to optimize your individual processes
- All critical spare parts available for immediate shipping
- An annual service review
- Online manuals

Specialist counseling

You can always, and at no expense, contact Struers' experienced application specialists with any questions you might have regarding your Struers equipment, best practice testing, or your specific testing situation. That is a natural part of your Struers equipment purchase. Just go to [struers.com/contact](https://www.struers.com/contact) or contact your local specialist.



Extra Services



ServiceGuard – which service is right for you?


Struers ServiceGuard covers a comprehensive range of technical services and training including service plans, service packages, single services, and spare parts. Our global network of technical service engineers will work with you to determine the service level best suited to your requirements. See more at: [struers.com/service](https://www.struers.com/service)

Service | Guard 



Calibration services – Internationally accredited or Struers certified

Choose the service that meets your restrictions in accreditation. Both services are designed to ensure that your hardness tester meets the required standards. A Struers technician performs calibration, including indirect or direct verification of a chosen number of methods.



Application assessment

A Struers Application Specialist visits your facility to perform an in-depth assessment of your use of Struers equipment, metallographic processes, and workflows. The specialist identifies quality and optimization opportunities and provides you with practical tips.

Want to know more? Go to [struers.com/duramin](https://www.struers.com/duramin)

Technical Data

Models

	Duramin-160	Duramin-160Z
Loads and applications		
Load range (main loads)	1 kgf - 250 kg	1 kgf - 250 kg
Rockwell capability (ISO 6508 and ASTM E18)	Yes	Yes
HVT/HVB	Yes	Yes
Vickers capability (ISO 6507 and ASTM E384)	No	No
Knoop capability (ISO 4545 and ASTM E384)	No	No
Brinell capability (ISO 6506 and ASTM E10)	No	No
Anvils and turrets		
XY-stage or anvil size (mm)	Ø 80	Ø 80
Vertical capacity (mm)	230	230
Throat depth (mm)	195	195
Motorized Z-axis	No	Yes
Turret positions	1	1
Machine weight	95 kg	95 kg
Software and modules		
Report editor	Yes	Yes
Data export	Yes	Yes
Interfaces and connectivity		
Operation	Embedded Windows PC with 6.5" touchscreen. Mouse and keyboard operation is optional.	Embedded Windows PC with 6.5" touchscreen. Mouse and keyboard operation is optional.
Communication Ports	RJ45, WLAN, USB	RJ45, WLAN, USB
WiFi	Yes	Yes
Blue tooth	Optional	Optional

Accessories

For your customized hardness test, please choose from a wide range of accessories.

- Indenters, available for different methods
- Factory calibration report for additional methods
- Vises, available in different sizes
- Anvils, available in different sizes
- Manual XY-stages
- Base cabinets
- Test blocks



Want to know more? Go to [struers.com/duramin](https://www.struers.com/duramin)

Struers ApS
 Pederstrupvej 84
 DK-2750 Ballerup, Denmark

Tel.: +45 44 600 800
 Fax: +45 44 600 801
 struers@struers.dk
 www.struers.com

SINGAPORE
Struers Singapore
 627A Aljunied Road,
 #07-08 BizTech Centre
 Singapore 389842
 Tel.: +65 6299 2268
 Fax: +65 6299 2661
 struers.sg@struers.dk

SPAIN
Struers España
 Camino Cerro de los Gamos 1
 Building 1 - Pozuelo de Alarcón
 CP 28224 Madrid
 Tel.: +34 917 901 204
 Fax: +34 917 901 112
 struers.es@struers.es

FINLAND
Struers ApS, Suomi
 Hietalahdenranta 13
 00180 Helsinki
 Tel.: +358 (0)207 919 430
 Fax: +358 (0)207 919 431
 finland@struers.fi

SWEDEN
Struers Sverige
 Box 20038
 161 02 Bromma
 Tel.: +46 (0)8 447 53 90
 Fax: +46 (0)8 447 53 99
 info@struers.se

UNITED KINGDOM
Struers Ltd.
 Unit 11 Evolution @ AMP
 Whittle Way, Catcliffe
 Rotherham S60 5BL
 Tel.: +44 0845 604 6664
 Fax: +44 0845 604 6651
 info@struers.co.uk

USA
Struers Inc.
 24766 Detroit Road
 Westlake, OH 44145-1598
 Tel.: +1 440 871 0071
 Fax: +1 440 871 8188
 info@struers.com

AUSTRALIA & NEW ZEALAND
Struers Australia
 27 Mayneview Street
 Milton QLD 4064
 Australia
 Tel.: +61 7 3512 9600
 Fax: +61 7 3369 8200
 info.au@struers.dk

BELGIUM (Wallonie)
Struers S.A.S.
 370, rue du Marché Rollay
 F- 94507 Champigny
 sur Marne Cedex
 Tel.: +33 1 5509 1430
 Fax: +33 1 5509 1449
 struers@struers.fr

BELGIUM (Flanders)
Struers GmbH Nederland
 Zomerdijk 34 A
 3143 CT Maassluis
 Tel.: +31 (10) 599 7209
 Fax: +31 (10) 5997201
 netherlands@struers.de

CANADA
Struers Ltd.
 7275 West Credit Avenue
 Mississauga, Ontario L5N 5M9
 Tel.: +1 905-814-8855
 Fax: +1 905-814-1440
 info@struers.com

CHINA
Struers Ltd.
 No. 1696 Zhang Heng Road
 Zhang Jiang Hi-Tech Park
 Shanghai 201203, P.R. China
 Tel.: +86 (21) 6035 3900
 Fax: +86 (21) 6035 3999
 struers@struers.cn

CZECH REPUBLIC & SLOVAKIA
Struers GmbH Organizační složka
 vědeckotechnický park
 Přílepská 1920,
 CZ-252 63 Roztoky u Prahy
 Tel.: +420 233 312 625
 Fax: +420 233 312 640
 czechrepublic@struers.de
 slovakia@struers.de

GERMANY
Struers GmbH
 Carl-Friedrich-Benz-Straße 5
 D- 47877 Willich
 Tel.: +49 (0) 2154 486-0
 Fax: +49 (0) 2154 486-222
 verkauf@struers.de

FRANCE
Struers S.A.S.
 370, rue du Marché Rollay
 F-94507 Champigny
 sur Marne Cedex
 Tel.: +33 1 5509 1430
 Fax: +33 1 5509 1449
 struers@struers.fr

HUNGARY
Struers GmbH
 Magyarországi Fióktelepe
 2040 Budaörs
 Szabadság utca 117
 Tel.: +36 (23) 80 60 90
 Fax: +36 (23) 80 60 91
 E-mail: hungary@struers.de

IRELAND
Struers Ltd.
 Unit 11 Evolution@ AMP
 Whittle Way, Catcliffe
 Rotherham S60 5BL
 Tel.: +44 0845 604 6664
 Fax: +44 0845 604 6651
 info@struers.co.uk

ITALY
Struers Italia
 Via Monte Grappa 80/4
 20020 Arese (MI)
 Tel.: +39-02/38236281
 Fax: +39-02/38236274
 struers.it@struers.it

JAPAN
Struers K.K.
 Takanawa Muse Bldg. 1F
 3-14-13 Higashi-Gotanda,
 Shinagawa
 Tokyo
 141-0022 Japan
 Tel.: +81 3 5488 6207
 Fax: +81 3 5488 6237
 struers@struers.co.jp

NETHERLANDS
Struers GmbH Nederland
 Zomerdijk 34 A
 3143 CT Maassluis
 Tel.: +31 (10) 599 7209
 Fax: +31 (10) 5997201
 netherlands@struers.de

NORWAY
Struers ApS, Norge
 Sjøskogenveien 44C
 1407 Vinterbro
 Tel.: +47 970 94 285
 info@struers.no

AUSTRIA
Struers GmbH
 Zweigniederlassung Österreich
 Betriebsgebiet Puch Nord 8
 5412 Puch
 Tel.: +43 6245 70567
 Fax: +43 6245 70567-78
 austria@struers.de

POLAND
Struers Sp. z o.o.
 Oddział w Polsce
 ul. Jasnogórska 44
 31-358 Kraków
 Tel.: +48 12 661 20 60
 Fax: +48 12 626 01 46
 poland@struers.de

ROMANIA
Struers GmbH, Sucursala Bucuresti
 Str. Preciziei nr. 6R
 062203 sector 6, Bucuresti
 Tel.: +40 (31) 101 9548
 Fax: +40 (31) 101 9549
 romania@struers.de

SWITZERLAND
Struers GmbH
 Zweigniederlassung Schweiz
 Weissenbrunnenstraße 41
 CH-8903 Birmensdorf
 Tel.: +41 44 777 63 07
 Fax: +41 44 777 63 09
 switzerland@struers.de

Ensuring Certainty

With offices and affiliates in 24 countries and a presence in more than 50 countries worldwide, Struers is the world's leading materialographic solution supplier. We are dedicated to enabling our customers to ensure certainty in all aspects of materialographic preparation and testing, as well as material hardness testing - wherever they are in the world. Struers offers a complete range of equipment, consumables, service, and training programs – all supported by the most comprehensive knowledge base, global applications support, and a certified global service setup.

Learn more

Contact a Struers sales representative today or visit: www.struers.com



e-Shop

Buy your consumables
 in Struers e-Shop!
e-shop.struers.com