

# POWERING TELECOM APPLICATIONS EVERYWHERE WITH MODERN TECHNOLOGY

# Deliver non-stop, reliable power with fuel flexibility, regardless of location

Telecom carriers increasingly compete to provide voice, video and data services to customers. This constant connectivity creates a sense of security but requires continuous power. Power outages equal loss of connectivity which customers no longer tolerate. Backup power must be a priority, not an afterthought.

Batteries and generators have been the habitual solution for backup power, not because of their superior technology, but because of familiarity. Batteries generally cannot carry the load for long durations, while generators emit harmful air and noise emissions, do not start reliably, and require high maintenance. Theft of these assets may also be an issue.

Altergy has developed a better solution, using its breakthrough hydrogen fuel cell technology that delivers clean, sustainable, reliable power, cost effectively when the grid fails. These next generation solutions allow customers to modernize their networks, meet connectivity and sustainability demands as well as FCC and societal backup power mandates.

For locations where hydrogen fuel may be difficult to obtain, Altergy offers an advanced fuel cell backup power system integrated with a state-of-the-art hydrogen gas generator. Altergy's Freedom Power System EX (EX for extended runtimes) delivers a clean, sustainable, reliable backup hydrogen fuel cell power system that can integrate seamlessly with established network infrastructure, simplify fuel logistics and provide extended runtimes.

With the largest deployed fleet of hydrogen fuel cells in telecom Altergy is the trusted backup power partner since 2001.

### Altergy's Freedom Power fuel cells provide freedom from:



### Altergy's Freedom Power System EX (FPS-EX)

altergy

FREEDOM POWER

TECHNOLOG

Fuel flexibility where hydrogen availability is limited

- Meets sustainability and climate change objectives
- Produces power with no greenhouse gas (GHG) emissions
- Eliminates performance and replacement issues with batteries and generators
- Low initial capital cost
- Lowest Total Cost of Ownership
- Long runtime solution
- Reduce theft of batteries, generators and fuel
- Made in USA

# Altergy Fuel Cell FPS-EX (Patent Pending) Engine with Integrated Hydrogen Gas Generator









Installations of the Altergy Reformer in the Bahamas

#### Altergy Freedom Power System EX (FPS-EX) 5 kW Output Rated Standby Power Nominal Current 105 Rated (VDC) 48 Voltage **Input Power** 48V Nominal 246W (standby) Dimensions (W x D x H) 48 x 42 x 53 in. / 122 x 107 x 135 cm **Physical** Weight 876 lbs. / 397kg Methanol-water mix reformed into gaseous hydrogen Type and Grade Fuel Tank Size 100 Gallons / 378 liters 1-1.4 liters / hr / kWh Consumption (Liters Per Hour) Ambient Temperature -20°C to 46°C (GR1293)\* **Relative Humidity** 5% to 95% non-condensing **Operational** Location Outdoor Use Only Altitude -200 to 10,000 feet Monitoring Software Real time control communications with GUI to provide system and site status and allow user input of operating parameters. Field upgrades through communication port. **Control Electronics** RS-232, RS-485 and ethernet supported. User-defined dry contacts. Optional wireless I/O Interfaces monitoring. Noise **Environmental** <60dBA @ 7 meters CSA / ANSI FC 1-2014 (fuel cell) and CSA / ANSI FC 5-2017 (reformer), FCC 47CFR Part Fuel Cell Engine Safety / Certification / Compliance\*\* 15, Subpart B, Class A

Specification subject to change without notice. \*Cold weather kit for temperatures below freezing. \*\*Some certifications pending.



www.altergy.com Tel: 916.458.8590 Email: info@altergy.com

## Why Choose Altergy's EX Fuel Cell System **Over Diesel Generators?**



#### **Cost Effective:**

- Lower total cost of ownership
- Eliminates fuel theft
- Simpler maintenance and operations
- US investment tax credit available



www.altergy.com Tel: 916.458.8590 Email: info@altergy.com

additives required

Methanol is less flammable than gas

No cold weather fuel gelling

Cold weather reliability (-70 degrees C)