

JUICEBOX



nexxis

NEXXIS.COM

FOR AN AGNOSTIC APPROACH TO REMOTE VISUAL INSPECTION

The JuiceBox Controller is a powerful platform designed to operate a variety of remote visual inspection cameras and robotic equipment seamlessly.

Features Seamless Integration

- Inbuilt PC with an integrated dedicated graphics card.
- Dedicated Cooling system.
- Power and Video configurations to meet your needs.
- Rugged case for transport.
- Multiple inputs and outputs including HDMI and USB.

Advanced Inspections To Simplify Inspections

- User friendly interface with live video stream.
- Job grouping and recording.
- Snap pictures while recording.
- Zoom, brightness, focus control.

- Variable lighting and laser line control.
- Automation routine x Simple reporting.
- Joystick, touchscreen, or keyboard control.
- Customisable user group.

Industries

- Oil & Gas.
- Mining.
- Power Generation.
- Petrochemical
- Municipal (Sewer & Water).
- Construction.

Key Applications

- Development Integration Platform.
- OEM Controller.
- Custom Solutions.




The powerful, seamless and versatile approach of the JuiceBox Controller makes inspection simple.

A Truly Customisable Control System

JUICEBOX SPECIFICATIONS

DIMENSIONS	62.9 x 39.3 x 20.9cm / 24.7 x 15.5 x 8.2in *when closed
WEIGHT	18kg / 39.7lbs
OPERATING SYSTEM	0-50°C / 32-122°F
IP RATING (WHEN CLOSED)	IP65
DISPLAY SCREEN	21.5" FHD Ultra High Brightness Industrial Touchscreen Display
DISPLAY RESOLUTION	1920 x 1080 (FHD)
DISPLAY CONTRAST	5000 : 15000 : 1
POWER REQUIREMENTS	110 -240 VAC
FEATURES AND CONTROL	Integrated keyboard and track pad, Emergency stop Remote controller support
OPERATING POWER	48VDC/480W, 72VDC/720W



HOUSTON

315 Odyssey, Suite D
Webster, TX 77598
United States
Ph: +1 (713) 258-6061

AUSTRALIA

35 Peel Road
O'Connor, WA 6163
Australia
Ph: +61 (08) 9418 4952

SINGAPORE

37 Jalan Pemimpin
#03-02 MPAEX
Singapore 577177
Ph: +65 3158 0269

GET IN CONTACT